

## **REMARKS**

### ***Pending claims***

Claims 1, 3, 4, and 10 have been amended to more clearly point out and distinctly claim the invention. After these amendments are entered, ten (10) Claims (claims 1-4 and 6-11) are pending.

### **Rejections Under 35 USC 103**

Claims 1-3 and 6-11 were rejected under 35 USC 103(a) as being unpatentable over Stockinger et al. in view of the admitted prior art set forth in instant specification at page 2, line 22 through page 3, line 5 and Thompson (US 4,011,313) and Temple (US 5,670,255). The primary reference, alone or in combination with the secondary references, does not suggest or teach all of the limitations of the invention as currently claimed. For example, none of the cited primary and secondary references discloses or suggests anything about use of a sodium, potassium or ammonium salt of citric acid as a stabilizer for a poly(oxyalkylene)-containing polymeric material and anything about the medical device having a decreased susceptibility to oxidative degradation characterized by having at least an 1.5-fold reduction of the amount of detectable formic acid. As such, the Applicant's invention is not obvious, and Applicants respectfully request withdrawal of the 35 U.S.C. §103(a) rejection over claims 1-3 and 6-11.


Claim 4 were rejected under 35 USC 103(a) as being unpatentable over Stockinger et al. in view of the admitted prior art set forth in instant specification at page 2, line 22 through page 3, line 5 and Thompson (US 4,011,313), Temple (US 5,670,255) and Byrd (US 2003/0039690). The rejection of claim 4 is moot in view of amendment of this claim.

## **CONCLUSION**

In view of the foregoing and in conclusion, the Applicant submit that the rejections set-forth in the Office Action have been overcome, and that all pending claims are now in conditions for allowance.

Should the Examiner believe that a discussion with Applicants' representative would further the prosecution of this application, the Examiner is respectfully invited to contact the undersigned. Please address all correspondence to Robert Gorman, CIBA Vision, Patent Department, 11460 Johns Creek Parkway, Duluth, GA 30097. The Commissioner is hereby authorized to charge any other fees which may be required under 37 C.F.R. §§1.16 and 1.17, or credit any overpayment, to Deposit Account No. 50-2965.

Respectfully submitted,



---

Jian S. Zhou  
Reg. No. 41,422  
(678) 415-4691

Date: January 13, 2009

CIBA Vision  
Patent Department  
11460 Johns Creek Parkway  
Duluth, GA 30097